

## Overview:

---

This document contains the details of the eSign Server v2020.1.1 i-33 OVA.

- IMM eSign Version
- Virtual Machine Settings on the ESX server as shown via the vSphere client.
- Operating System.
- Security enhancements.
- Product documentation location.
- List of installed applications.
- List of installed services.

## Version:

---



**IMM eSign - Version: 2020.1.1 (Iteration - 33)**

**Institution Name - ALL**

**Host Details:**

**Serial Number: 161-27-343-8797**

Copyright © 2020 IMM.

All Rights Reserved. Any copying, reproduction or use of this material is strictly prohibited without the express prior written consent of IMM.

[Learn about other IMM Solutions](#)

## VM Resources: (Drive Details Screenshots)

Hardware	Summary
Memory	16384 MB
CPUs	8
Video card	Video card
VMCI device	Deprecated
SCSI controller 0	LSI Logic SAS
Hard disk 1	Virtual Disk
Hard disk 2	Virtual Disk
Network adapter 1	VM Network

**Disk Provisioning**  
 Type: Thin Provision  
 Provisioned:  GiB  
 Maximum Size: 988.88

Virtual Device Node:

Mode:  
 Independent  
Independent disks are not affected  
 Persistent  
Changes are immediately and

Hardware	Summary
Memory	16384 MB
CPUs	8
Video card	Video card
VMCI device	Deprecated
SCSI controller 0	LSI Logic SAS
Hard disk 1	Virtual Disk
Hard disk 2	Virtual Disk
Network adapter 1	VM Network

**Disk Provisioning**  
 Type: Thin Provision  
 Provisioned:  GiB  
 Maximum Size: 980.88

Virtual Device Node:

Mode:  
 Independent  
Independent disks are not affected  
 Persistent  
Changes are immediately and

## Operating System:

Windows edition

Windows Server 2019 Standard

© 2018 Microsoft Corporation. All rights reserved.

Windows Server® 2019

---

System

Processor: Intel(R) Xeon(R) CPU X5650 @ 2.67GHz 2.66 GHz (8 processors)

Installed memory (RAM): 16.0 GB

System type: 64-bit Operating System, x64-based processor

Pen and Touch: No Pen or Touch Input is available for this Display

---

Computer name, domain, and workgroup settings

Computer name: LOCALHOST [Change settings](#)

Full computer name: LOCALHOST

Computer description:

Workgroup: WORKGROUP

## Security Enhancements:

---

- TLS Compliant.
  - TLS (1.2) is the latest version of TLS.
  - SSL-TLS-Ciphers set.
- HTTP Response Headers (*IIS*).
  - X-Frame-Options.
    - SAMEORIGINS.
- HTTP Request Filtering (*IIS*).
  - HTTP Verbs.
    - OPTIONS set to [**False**].
- Default Document (*IIS*).
  - Disabled for all entries.






























## Product Documentation:

---

IMM Applications (E:) > IMM > Documentation			
Name	Date modified	Type	
Ad-Hoc	9/27/2020 9:05 PM	File folder	
Database Password Utility	9/16/2020 11:29 PM	File folder	
Disaster Prevention	9/16/2020 11:26 PM	File folder	
eSign Client Installation	9/16/2020 11:28 PM	File folder	
eSign Server Installation	9/27/2020 9:22 PM	File folder	
Exclusions and Backups	9/11/2020 12:11 PM	File folder	
IMM File Transfer Web Service	9/27/2020 8:54 PM	File folder	
Load Balancing	9/16/2020 11:27 PM	File folder	
MSP	9/16/2020 11:23 PM	File folder	
OVA	9/11/2020 12:11 PM	File folder	
Pre-Reqs	9/16/2020 11:28 PM	File folder	
Release Notes	9/27/2020 8:55 PM	File folder	
SSL Certificate	9/16/2020 11:27 PM	File folder	
System Requirements	9/16/2020 11:26 PM	File folder	
Temenos	9/16/2020 11:25 PM	File folder	
Topaz	9/27/2020 9:05 PM	File folder	
Training	9/27/2020 9:22 PM	File folder	
Verifast	9/16/2020 11:26 PM	File folder	
Wacom	9/16/2020 11:25 PM	File folder	

## Installed Programs: (Programs/Features screenshots)

---

Name	Installed On	Version
 7-Zip 19.00 (x64)	9/18/2020	19.00
 Adhoc Downloader	9/25/2020	2019.2
 Adobe Acrobat Reader DC	9/25/2020	20.012.20048
 Browser for SQL Server 2019	9/11/2020	15.0.2000.5
 eSign	9/15/2020	20.1.1
 IIS URL Rewrite Module 2	9/14/2020	7.2.1952
 IMM Notification Tool	9/27/2020	1.0.0
 Microsoft Help Viewer 2.3	9/10/2020	2.3.28107
 Microsoft ODBC Driver 17 for SQL Server	9/10/2020	17.5.1.1
 Microsoft OLE DB Driver for SQL Server	9/10/2020	18.3.0.0
 Microsoft ReportViewer 2010 Redistributable	9/14/2020	10.0.30319
 Microsoft SQL Server 2012 Native Client	9/10/2020	11.4.7462.6
 Microsoft SQL Server 2019 (64-bit)	9/10/2020	
 Microsoft SQL Server 2019 Setup (English)	9/10/2020	15.0.4013.40
 Microsoft SQL Server 2019 T-SQL Language Service	9/10/2020	15.0.2000.5
 Microsoft SQL Server Management Studio - 18.6	9/10/2020	15.0.18338.0
 Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.6161	3/14/2019	9.0.30729.6161
 Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148	3/14/2019	9.0.30729.4148
 Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.6161	9/11/2020	9.0.30729.6161
 Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.60610	3/14/2019	11.0.60610.1
 Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610	3/14/2019	11.0.60610.1
 Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.30501	9/10/2020	12.0.30501.0
 Microsoft Visual C++ 2015-2019 Redistributable (x64) - 14.23.27820	9/14/2020	14.23.27820.0
 Microsoft Visual C++ 2017 Redistributable (x86) - 14.14.26429	9/10/2020	14.14.26429.4
 Microsoft Visual Studio Tools for Applications 2017	9/10/2020	15.0.27520
 Microsoft VSS Writer for SQL Server 2019	9/11/2020	15.0.2000.5
 Notepad++ (32-bit x86)	9/14/2020	7.8.7
 Trend Micro OfficeScan Agent	9/10/2020	12.0.5502
 VMware Tools	3/14/2019	10.0.6.3560309

## Services: (output of “SC Query” command)

---

```

SERVICE_NAME: AdobeARMservice
DISPLAY_NAME: Adobe Acrobat Update Service
        TYPE                : 10  WIN32_OWN_PROCESS
        STATE                 : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: AppHostSvc
DISPLAY_NAME: Application Host Helper Service
        TYPE                : 30  WIN32
        STATE                 : 4  RUNNING
                               (STOPPABLE, PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: AppReadiness
DISPLAY_NAME: App Readiness
        TYPE                : 30  WIN32
        STATE                 : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_PRESHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: AppXSvc
DISPLAY_NAME: AppX Deployment Service (AppXSVC)
        TYPE                : 30  WIN32
        STATE                 : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: AzureAttestService
DISPLAY_NAME: AzureAttestService
        TYPE                : 30  WIN32
        STATE                 : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_PRESHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: BFE
DISPLAY_NAME: Base Filtering Engine

```

```

TYPE                : 20  WIN32_SHARE_PROCESS
STATE               : 4   RUNNING
                   (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE     : 0   (0x0)
SERVICE_EXIT_CODE  : 0   (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: BrokerInfrastructure

DISPLAY\_NAME: Background Tasks Infrastructure Service

```

TYPE                : 20  WIN32_SHARE_PROCESS
STATE               : 4   RUNNING
                   (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE     : 0   (0x0)
SERVICE_EXIT_CODE  : 0   (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: camsvc

DISPLAY\_NAME: Capability Access Manager Service

```

TYPE                : 30  WIN32
STATE               : 4   RUNNING
                   (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0   (0x0)
SERVICE_EXIT_CODE  : 0   (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: CDPSvc

DISPLAY\_NAME: Connected Devices Platform Service

```

TYPE                : 30  WIN32
STATE               : 4   RUNNING
                   (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE     : 0   (0x0)
SERVICE_EXIT_CODE  : 0   (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: CertPropSvc

DISPLAY\_NAME: Certificate Propagation

```

TYPE                : 30  WIN32
STATE               : 4   RUNNING
                   (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0   (0x0)
SERVICE_EXIT_CODE  : 0   (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: ClipSVC

DISPLAY\_NAME: Client License Service (ClipSVC)

```

TYPE                : 30  WIN32
STATE               : 4   RUNNING
                   (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0   (0x0)
SERVICE_EXIT_CODE  : 0   (0x0)
CHECKPOINT          : 0x0

```

WAIT\_HINT : 0x0

SERVICE\_NAME: COMSysApp

DISPLAY\_NAME: COM+ System Application

TYPE : 10 WIN32\_OWN\_PROCESS

STATE : 4 RUNNING

(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: CoreMessagingRegistrar

DISPLAY\_NAME: CoreMessaging

TYPE : 20 WIN32\_SHARE\_PROCESS

STATE : 4 RUNNING

(NOT\_STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: CryptSvc

DISPLAY\_NAME: Cryptographic Services

TYPE : 30 WIN32

STATE : 4 RUNNING

(STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: DcomLaunch

DISPLAY\_NAME: DCOM Server Process Launcher

TYPE : 20 WIN32\_SHARE\_PROCESS

STATE : 4 RUNNING

(NOT\_STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: DeviceInstall

DISPLAY\_NAME: Device Install Service

TYPE : 30 WIN32

STATE : 4 RUNNING

(STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_PRESHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: Dhcp

DISPLAY\_NAME: DHCP Client

TYPE : 30 WIN32

STATE : 4 RUNNING

```

                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: DiagTrack

DISPLAY\_NAME: Connected User Experiences and Telemetry

```

TYPE                : 10  WIN32_OWN_PROCESS
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_PRESHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: Dnscache

DISPLAY\_NAME: DNS Client

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: DPS

DISPLAY\_NAME: Diagnostic Policy Service

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: EventLog

DISPLAY\_NAME: Windows Event Log

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: EventSystem

DISPLAY\_NAME: COM+ Event System

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```



```

SERVICE_NAME: fdPHost
DISPLAY_NAME: Function Discovery Provider Host
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: FDResPub
DISPLAY_NAME: Function Discovery Resource Publication
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: FontCache
DISPLAY_NAME: Windows Font Cache Service
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: ftpsvc
DISPLAY_NAME: Microsoft FTP Service
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                               (STOPPABLE, PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: gpsvc
DISPLAY_NAME: Group Policy Client
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_PRESHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
        SERVICE_EXIT_CODE    : 0  (0x0)
        CHECKPOINT           : 0x0
        WAIT_HINT            : 0x0

SERVICE_NAME: IISADMIN
DISPLAY_NAME: IIS Admin Service
        TYPE                : 20  WIN32_SHARE_PROCESS
        STATE                : 4  RUNNING
                               (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE       : 0  (0x0)
  
```

SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: IMM eSign IDocMerge Service  
 DISPLAY\_NAME: IMM eSign IDocMerge Service  
 TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: IMM eSign IDocMerge Service 2  
 DISPLAY\_NAME: IMM eSign IDocMerge Service 2  
 TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: iphlpsvc  
 DISPLAY\_NAME: IP Helper  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: KeyIso  
 DISPLAY\_NAME: CNG Key Isolation  
 TYPE : 20 WIN32\_SHARE\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: LanmanServer  
 DISPLAY\_NAME: Server  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: LanmanWorkstation  
 DISPLAY\_NAME: Workstation

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (STOPPABLE, PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: LicenseManager

DISPLAY\_NAME: Windows License Manager Service

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: lmhosts

DISPLAY\_NAME: TCP/IP NetBIOS Helper

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: LSM

DISPLAY\_NAME: Local Session Manager

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: mpssvc

DISPLAY\_NAME: Windows Defender Firewall

```

TYPE           : 20  WIN32_SHARE_PROCESS
STATE          : 4  RUNNING
                (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: MSDTC

DISPLAY\_NAME: Distributed Transaction Coordinator

```

TYPE           : 10  WIN32_OWN_PROCESS
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0

```

WAIT\_HINT : 0x0

SERVICE\_NAME: MSSQL\$SQLEXPRESS2K19

DISPLAY\_NAME: SQL Server (SQLEXPRESS2K19)

TYPE : 10 WIN32\_OWN\_PROCESS

STATE : 4 RUNNING  
(STOPPABLE, PAUSABLE, ACCEPTS\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: NcbService

DISPLAY\_NAME: Network Connection Broker

TYPE : 30 WIN32

STATE : 4 RUNNING  
(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: Netman

DISPLAY\_NAME: Network Connections

TYPE : 30 WIN32

STATE : 4 RUNNING  
(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: netprofm

DISPLAY\_NAME: Network List Service

TYPE : 30 WIN32

STATE : 4 RUNNING  
(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: NlaSvc

DISPLAY\_NAME: Network Location Awareness

TYPE : 30 WIN32

STATE : 4 RUNNING  
(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: nsi

DISPLAY\_NAME: Network Store Interface Service

TYPE : 30 WIN32

STATE : 4 RUNNING

```

                                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: ntrtscan

DISPLAY\_NAME: OfficeScan NT RealTime Scan

```

TYPE                : 10  WIN32_OWN_PROCESS
STATE               : 4  RUNNING
                                (NOT_STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: PcaSvc

DISPLAY\_NAME: Program Compatibility Assistant Service

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: PlugPlay

DISPLAY\_NAME: Plug and Play

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: PolicyAgent

DISPLAY\_NAME: IPsec Policy Agent

```

TYPE                : 30  WIN32
STATE               : 4  RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: Power

DISPLAY\_NAME: Power

```

TYPE                : 20  WIN32_SHARE_PROCESS
STATE               : 4  RUNNING
                                (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE     : 0  (0x0)
SERVICE_EXIT_CODE  : 0  (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

```

SERVICE_NAME: ProfSvc
DISPLAY_NAME: User Profile Service
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                          (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x0
        WAIT_HINT           : 0x0

SERVICE_NAME: RasMan
DISPLAY_NAME: Remote Access Connection Manager
        TYPE                : 20  WIN32_SHARE_PROCESS
        STATE                : 4  RUNNING
                          (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x0
        WAIT_HINT           : 0x0

SERVICE_NAME: RpcEptMapper
DISPLAY_NAME: RPC Endpoint Mapper
        TYPE                : 20  WIN32_SHARE_PROCESS
        STATE                : 4  RUNNING
                          (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x0
        WAIT_HINT           : 0x0

SERVICE_NAME: RpcSs
DISPLAY_NAME: Remote Procedure Call (RPC)
        TYPE                : 20  WIN32_SHARE_PROCESS
        STATE                : 4  RUNNING
                          (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x0
        WAIT_HINT           : 0x0

SERVICE_NAME: SamSs
DISPLAY_NAME: Security Accounts Manager
        TYPE                : 20  WIN32_SHARE_PROCESS
        STATE                : 4  RUNNING
                          (NOT_STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)
        SERVICE_EXIT_CODE   : 0  (0x0)
        CHECKPOINT          : 0x0
        WAIT_HINT           : 0x0

SERVICE_NAME: Schedule
DISPLAY_NAME: Task Scheduler
        TYPE                : 30  WIN32
        STATE                : 4  RUNNING
                          (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
        WIN32_EXIT_CODE      : 0  (0x0)

```

SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: SENS

DISPLAY\_NAME: System Event Notification Service

TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: SessionEnv

DISPLAY\_NAME: Remote Desktop Configuration

TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: SessionStatusPushService

DISPLAY\_NAME: SessionStatusPushService

TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: ShellHWDetection

DISPLAY\_NAME: Shell Hardware Detection

TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: Spooler

DISPLAY\_NAME: Print Spooler

TYPE : 110 WIN32\_OWN\_PROCESS (interactive)  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: SQLTELEMETRY\$SQLEXPRESS2K19

DISPLAY\_NAME: SQL Server CEIP service (SQLEXPRESS2K19)

```

TYPE           : 10  WIN32_OWN_PROCESS
STATE          : 4   RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0   (0x0)
SERVICE_EXIT_CODE : 0   (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: SQLWriter

DISPLAY\_NAME: SQL Server VSS Writer

```

TYPE           : 10  WIN32_OWN_PROCESS
STATE          : 4   RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0   (0x0)
SERVICE_EXIT_CODE : 0   (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: SstpSvc

DISPLAY\_NAME: Secure Socket Tunneling Protocol Service

```

TYPE           : 30  WIN32
STATE          : 4   RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0   (0x0)
SERVICE_EXIT_CODE : 0   (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: StateRepository

DISPLAY\_NAME: State Repository Service

```

TYPE           : 30  WIN32
STATE          : 4   RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0   (0x0)
SERVICE_EXIT_CODE : 0   (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: SysMain

DISPLAY\_NAME: SysMain

```

TYPE           : 30  WIN32
STATE          : 4   RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0   (0x0)
SERVICE_EXIT_CODE : 0   (0x0)
CHECKPOINT     : 0x0
WAIT_HINT     : 0x0

```

SERVICE\_NAME: SystemEventsBroker

DISPLAY\_NAME: System Events Broker

```

TYPE           : 20  WIN32_SHARE_PROCESS
STATE          : 4   RUNNING
                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0   (0x0)
SERVICE_EXIT_CODE : 0   (0x0)
CHECKPOINT     : 0x0

```



WAIT\_HINT : 0x0

SERVICE\_NAME: TabletInputService

DISPLAY\_NAME: Touch Keyboard and Handwriting Panel Service

TYPE : 30 WIN32

STATE : 4 RUNNING

(NOT\_STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: TermService

DISPLAY\_NAME: Remote Desktop Services

TYPE : 30 WIN32

STATE : 4 RUNNING

(STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: Themes

DISPLAY\_NAME: Themes

TYPE : 30 WIN32

STATE : 4 RUNNING

(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: TimeBrokerSvc

DISPLAY\_NAME: Time Broker

TYPE : 30 WIN32

STATE : 4 RUNNING

(STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: tmlisten

DISPLAY\_NAME: OfficeScan NT Listener

TYPE : 10 WIN32\_OWN\_PROCESS

STATE : 4 RUNNING

(NOT\_STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_PRESHUTDOWN)

WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)

CHECKPOINT : 0x0

WAIT\_HINT : 0x0

SERVICE\_NAME: TokenBroker

DISPLAY\_NAME: Web Account Manager

TYPE : 30 WIN32

STATE : 4 RUNNING

```

                                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: TrkWks

DISPLAY\_NAME: Distributed Link Tracking Client

```

TYPE      : 30  WIN32
STATE     : 4   RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: UALSVC

DISPLAY\_NAME: User Access Logging Service

```

TYPE      : 30  WIN32
STATE     : 4   RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_PRESHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: UmRdpService

DISPLAY\_NAME: Remote Desktop Services UserMode Port Redirector

```

TYPE      : 30  WIN32
STATE     : 4   RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: UserManager

DISPLAY\_NAME: User Manager

```

TYPE      : 30  WIN32
STATE     : 4   RUNNING
                                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: UsoSvc

DISPLAY\_NAME: Update Orchestrator Service

```

TYPE      : 30  WIN32
STATE     : 4   RUNNING
                                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE      : 0 (0x0)
SERVICE_EXIT_CODE  : 0 (0x0)
CHECKPOINT          : 0x0
WAIT_HINT           : 0x0

```

SERVICE\_NAME: VGAuthService  
 DISPLAY\_NAME: VMware Alias Manager and Ticket Service  
 TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: VMTools  
 DISPLAY\_NAME: VMware Tools  
 TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, PAUSABLE, ACCEPTS\_PRESHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: VMware Physical Disk Helper Service  
 DISPLAY\_NAME: VMware Physical Disk Helper Service  
 TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, IGNORES\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: W32Time  
 DISPLAY\_NAME: Windows Time  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: W3SVC  
 DISPLAY\_NAME: World Wide Web Publishing Service  
 TYPE : 20 WIN32\_SHARE\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: WAS  
 DISPLAY\_NAME: Windows Process Activation Service  
 TYPE : 20 WIN32\_SHARE\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)

SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: Wcmsvc  
 DISPLAY\_NAME: Windows Connection Manager  
 TYPE : 10 WIN32\_OWN\_PROCESS  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: WdiSystemHost  
 DISPLAY\_NAME: Diagnostic System Host  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: WinHttpAutoProxySvc  
 DISPLAY\_NAME: WinHTTP Web Proxy Auto-Discovery Service  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (NOT\_STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: Winmgmt  
 DISPLAY\_NAME: Windows Management Instrumentation  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: WinRM  
 DISPLAY\_NAME: Windows Remote Management (WS-Management)  
 TYPE : 30 WIN32  
 STATE : 4 RUNNING  
 (STOPPABLE, NOT\_PAUSABLE, ACCEPTS\_SHUTDOWN)  
 WIN32\_EXIT\_CODE : 0 (0x0)  
 SERVICE\_EXIT\_CODE : 0 (0x0)  
 CHECKPOINT : 0x0  
 WAIT\_HINT : 0x0

SERVICE\_NAME: wlidsvc  
 DISPLAY\_NAME: Microsoft Account Sign-in Assistant

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT      : 0x0

```

SERVICE\_NAME: WpnService

DISPLAY\_NAME: Windows Push Notifications System Service

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT      : 0x0

```

SERVICE\_NAME: wuauerv

DISPLAY\_NAME: Windows Update

```

TYPE           : 30  WIN32
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT      : 0x0

```

SERVICE\_NAME: CDPUserSvc\_428ac9

DISPLAY\_NAME: Connected Devices Platform User Service\_428ac9

```

TYPE           : f0  ERROR
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, IGNORES_SHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT      : 0x0

```

SERVICE\_NAME: WpnUserService\_428ac9

DISPLAY\_NAME: Windows Push Notifications User Service\_428ac9

```

TYPE           : f0  ERROR
STATE          : 4  RUNNING
                (STOPPABLE, NOT_PAUSABLE, ACCEPTS_PRESHUTDOWN)
WIN32_EXIT_CODE : 0  (0x0)
SERVICE_EXIT_CODE : 0  (0x0)
CHECKPOINT     : 0x0
WAIT_HINT      : 0x0

```